

STERLING LIGHTING



P R O D U C T C A T A L O G



SL07B Bollard Light



SL01 Up Light



SL07P Pinnacle Light



SL13 Dock Light



Cafe Lights



SL09 Underwater Light



SL07 Path Light




SL17 Riley Light

Since its founding in 2010, Sterling Lighting has been focused on creating innovative landscape lighting fixtures known for quality, performance, and reliability. The vision for the company was simple yet profound: Merge the latest advances in LED technology with premium quality components and all the cutting-edge features a professional contractor could want.

Sterling Lighting's signature line of fully-dedicated and integrated fixtures, features high-grade materials, including marine-grade virgin brass and 316 stainless steel, the latest in LED technology, and innovative designs that improve the installation process.

Our founders are contractors who have drawn upon decades of experience in the field and worked with engineers to craft the ultimate line of fixtures. Even as Sterling Lighting has grown, our founders have stayed connected to their roots: they continue to design and install lighting systems in our nation's capital to ensure every new product outshines the competition. Sterling Lighting is on a mission to revolutionize the lighting industry with high-quality, versatile products sold exclusively to green industry professionals.





SL01 Up Light

Color Temp.	2700K/3000K/4000K/5000K
Lumen Output	230 lm - 730 lm
Wattage	3W - 10.5W
CRI	92+



SL02 In Line Light

Color Temp.	2700K/3000K
Lumen Output	60 lm
Wattage	1W
CRI	82+



SL04 Mini Flood Light

Color Temp.	2700K/3000K
Lumen Output	100 lm - 430 lm
Wattage	1.5W - 6.5W
CRI	92+



SL05 Step Light

Color Temp.	2700K/3000K
Lumen Output	5 lm - 50 lm
Wattage	0.5W - 3.5W
CRI	97+



SL06 Well Light

Color Temp.	2700K/3000K/4000K/5000K
Lumen Output	0 lm - 1,000 lm
Wattage	0W - 12W
CRI	97+



SL07 Path Light

Color Temp.	2700K/3000K
Lumen Output	210 lm
Wattage	5W
CRI	92+



SL07B Bollard Light

Color Temp.	2700K/3000K
Lumen Output	210 lm
Wattage	5W
CRI	92+



SL07P Pinnacle Light

210 lm	2700K/3000K
Lumen Output	210 lm
Wattage	5W
CRI	92+



SL09 Underwater Light

Color Temp.	2700K/3000K
Lumen Output	390 lm
Wattage	4.6W
CRI	83+



SL11 Archer Light

Color Temp.	2700K/3000K
Lumen Output	230 lm or 320 lm
Wattage	4W or 7.3W
CRI	97+



SL12 Hanging Light

Color Temp.	2700K/3000K
Lumen Output	0 lm - 250 lm
Wattage	0W - 6.3W
CRI	98+



SL13 Dock Light

Color Temp.	2700K/3000K
Lumen Output	35 lm
Wattage	4.5W
CRI	92+



SL17 Riley Light

60 lm	2700K/3000K
Lumen Output	60 lm
Wattage	1W
CRI	83+



SL21 Up Light

Color Temp.	2700K/3000K
Lumen Output	0 lm - 1,000 lm
Wattage	0W - 12W
CRI	97+



SL23 Down Light

Color Temp.	2700K/3000K
Lumen Output	0 lm - 805 lm
Wattage	0W - 12W
CRI	92+



SL24 Flood Light

Color Temp.	2700K/3000K
Lumen Output	0 lm - 650 lm
Wattage	0W - 10W
CRI	92+



SL31 Mini Up Light

Color Temp.	2700K/3000K/5000K
Lumen Output	0 lm - 275 lm
Wattage	0W - 4W
CRI	97+



SL33 Mini Down Light

Color Temp.	2700K/3000K/5000K
Lumen Output	0 lm - 150 lm
Wattage	0W - 4W
CRI	90+



SL36 Mini Well Light

100 lm	2700K/3000K
Lumen Output	100 lm
Wattage	1.6W
CRI	94+



Cafe Lights

Color Temp.	2200K
Lumen Output	80 lm
Wattage	1W/bulb
CRI	80+



STERLING  LIGHTING

116 Maplewood St
Danville, VA 24540

1-800-939-1849

WWW.STERLING-LIGHTING.COM